MINIMUM VACCINE REQUIREMENTS FOR ALDINE STUDENTS
2012-2013 School Year

EARLY CHILDHOOD
(By 36 months)

- ☐ DTP/DTaP/DT[1] - 4 doses
- ☐ Polio[1] - 3 doses
- ☐ MMR[1, 2] (measles, mumps and rubella)-1 dose on or after 1st birthday
- ☐ Hib[3] vaccine – 1 dose on or after 15 months *or* completed primary series **plus** booster. Complete Series = 2 doses or 3 doses depending on vaccine type (two months apart) **and** a booster dose on or after 12 months of age, received at least two months after the last dose.
- ☐ Varicella [1,2,4]- 1 dose or documentation of previous chicken pox illness
- ☐ Hepatitis A[2] – 2 doses
- ☐ Hepatitis B [2] – 3 doses
- ☐ PCV (Pneumococcal Conjugate Vaccine) - 1 dose on or after 24 months *or* completed primary series **plus** booster. Complete Series = 2 or 3 doses depending on the age given (two months apart) **and** a booster dose received on or after 12 months of age and at least two months after the last dose.

PRE-K
(by 48 months)

- ☐ DTP/DTaP/DT [1]– 4 doses (including one dose on or after 4th birthday)
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR [1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hib[3] vaccine - 1 dose on or after 15 months *or* completed primary series plus booster. Complete Series = 2 doses or 3 doses depending on vaccine type (two months apart) **and** a booster dose on or after 12 months of age, received at least two months after the last dose
- ☐ Varicella[1,2,4] - 1 dose or documentation of previous chicken pox illness
- ☐ Hepatitis A[2] – 2 doses
- ☐ Hepatitis B [2] – 3 doses
- ☐ PCV (Pneumococcal Conjugate Vaccine) - 1 dose on or after 24 months *or* completed primary series **plus** booster. Complete Series = 2 or 3 doses depending on the age given (two months apart) **and** a booster dose received on or after 12 months of age and at least two months after the last dose.

[1]**Receipt of the dose up to and including 4 days before the birthday will satisfy the school entry immunization requirements.** DTP and Polio immunization for student in grades K-12 received prior to April 1, 2004 that were received within the calendar month of the 4th birthday will satisfy this requirement.
[2]Serologic confirmation of immunity to measles, mumps, rubella, hepatitis B or varicella or serologic evidence of infection is acceptable in lieu of vaccine.
[3] Comvax or Pentavenlente – only 3 doses required if the 3rd dose is on or after the first birthday, all others require 4 doses.
[4]Serologic proof of immunity or documentation of previous illness may substitute for vaccination. Previous Illness may be documented with a written statement from a physician, school nurse, or the child's parent or guardian containing wording such as "This is to verify that (name of student) had Varicella disease (chickenpox) on or about (date) and does not need varicella vaccine."
TB Skin test required for those students determined to be at risk for TB according to Texas Department of State Health Services guidelines.

- Individuals with positive skin test results only and no symptoms of active TB must show proof of either a negative chest x-ray with evidence of on going or completed preventive therapy as indicated or proof of an appointment for an x-ray. If a student fails to provide documentation as indicated or fails to keep the appointment for the chest x-ray, he/she will be excluded from school until the requirement is met.
- Parents are encouraged to consult their physician for recommendations for skin testing as part of their child's annual physical exam.

The following may not be required for school attendance in grades K-12, but are **strongly** recommended:
Influenza.

MINIMUM VACCINE REQUIREMENTS FOR ALDINE STUDENTS
2012-2013 School Year

KINDERGARTEN
(**Age 5 at Kindergarten Entrance**)

- ☐ DTP/DTaP/DT/Td[1]–4 doses (including one dose on or after 4th birthday)
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR [1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart
- ☐ Hepatitis B [2] – 3 doses
- ☐ Varicella[1,2,4] - 2 doses or documentation of previous chicken pox illness
- ☐ Hepatitis A – 2 doses

1st GRADE

- ☐ DTP/DTaP/DT/Td[1]–4 doses (including one dose on or after 4th birthday)
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR [1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days
- ☐ Hepatitis B [2] – 3 doses
- ☐ Varicella[1,2,4]- 2 doses or documentation of previous chicken pox illness
- ☐ Hepatitis A – 2 doses

2nd GRADE
(**Age 7 or older**)

- ☐ DTP/DTaP/DT/Td[1]-3 doses (including one dose on or after 4th birthday)
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR [1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart
- ☐ Hepatitis B [2] – 3 doses
- ☐ Varicella[1,2,4] -2 doses or documentation of previous chicken pox illness
- ☐ Hepatitis A – 2 doses

3rd GRADE

- ☐ DTP/DTaP/DT/Td[1]-3 doses (including one dose on or after 4th birthday)
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1, 2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart
- ☐ Hepatitis B [2] – 3 doses
- ☐ Varicella[1,2,4] -2 doses or documentation of previous chicken pox illness
- ☐ Hepatitis A – 2 doses

[1]**Receipt of the dose up to and including <u>4 days before the birthday</u> will satisfy the school entry immunization requirements.** DTP and Polio immunization for student in grades K-12 received prior to April 1, 2004 that were received within the calendar month of the 4th birthday will satisfy this requirement.
[2]Serologic confirmation of immunity to measles, mumps, rubella, hepatitis B or varicella or serologic evidence of infection is acceptable in lieu of vaccine.
[3] Comvax or Pentavenlente – only 3 doses required if the 3rd dose is on or after the first birthday, all others require 4 doses.
[4]Serologic proof of immunity or documentation of previous illness may substitute for vaccination. Previous Illness may be documented with a written statement from a physician, school nurse, or the child's parent or guardian containing wording such as "This is to verify that (name of student) had Varicella disease (chickenpox) on or about (date) and does not need varicella vaccine."
TB Skin test required for those students determined to be at risk for TB according to Texas Department of State Health Services guidelines.

- Individuals with positive skin test results only and no symptoms of active TB must show proof of either a negative chest x-ray with evidence of on going or completed preventive therapy as indicated or proof of an appointment for an x-ray. If a student fails to provide documentation as indicated or fails to keep the appointment for the chest x-ray, he/she will be excluded from school until the requirement is met.
- Parents are encouraged to consult their physician for recommendations for skin testing as part of their child's annual physical exam.

The following may not be required for school attendance in grades K-12, but are **<u>strongly</u>** recommended:
Influenza.

MINIMUM VACCINE REQUIREMENTS FOR ALDINE STUDENTS
2012-2013 School Year

4th GRADE

- ☐ DTP/DTaP/DT/Td[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1, 2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2] – 3 doses
- ☐ Varicella[1,2,4] -1 dose or documentation of previous chicken pox illness

5th GRADE

- ☐ DTP/DTaP/DT/Td[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2,3] – 3 doses
- ☐ Varicella[1,2,4] -1 dose or documentation of previous chicken pox illness

6th GRADE

- ☐ DTP/DTaP/DT/Td[1]–3 doses (including one dose on or after 4th birthday)
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1,2](measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2,3] – 3 doses
- ☐ Varicella[1,2,4] -1 dose or documentation of previous chicken pox illness

7th GRADE

- ☐ DTP/DTaP/DT/Td[1] – 3 doses (including one dose on or after 4th birthday) and one dose Tdap required 5 years after last dose DTP/DTaP/DT/Td
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2,3] – 3 doses
- ☐ Varicella[1,2,4] - 2 doses or documentation of previous chicken pox illness
- ☐ Meningococcal – 1 dose

[1]**Receipt of the dose up to and including <u>4 days before the birthday</u> will satisfy the school entry immunization requirements.** DTP and Polio immunization for student in grades K-12 received prior to April 1, 2004 that were received within the calendar month of the 4th birthday will satisfy this requirement.
[2]Serologic confirmation of immunity to measles, mumps, rubella, hepatitis B or varicella or serologic evidence of infection is acceptable in lieu of vaccine.
[3] Comvax or Pentavenlente – only 3 doses required if the 3rd dose is on or after the first birthday, all others require 4 doses.
[4]Serologic proof of immunity or documentation of previous illness may substitute for vaccination. Previous Illness may be documented with a written statement from a physician, school nurse, or the child's parent or guardian containing wording such as "This is to verify that (name of student) had Varicella disease (chickenpox) on or about (date) and does not need varicella vaccine."
TB Skin test required for those students determined to be at risk for TB according to Texas Department of State Health Services guidelines.

- Individuals with positive skin test results only and no symptoms of active TB must show proof of either a negative chest x-ray with evidence of on going or completed preventive therapy as indicated or proof of an appointment for an x-ray. If a student fails to provide documentation as indicated or fails to keep the appointment for the chest x-ray, he/she will be excluded from school until the requirement is met.
- Parents are encouraged to consult their physician for recommendations for skin testing as part of their child's annual physical exam.

The following may not be required for school attendance in grades K-12, but are **<u>strongly</u>** recommended:
Influenza.

MINIMUM VACCINE REQUIREMENTS FOR ALDINE STUDENTS
2012-2013 School Year

8th GRADE

- ☐ DTP/DTaP/DT/Td[1] – 3 doses (including one dose on or after 4th birthday) and one dose Tdap required 10 years after last dose DTP/DTaP/DT/Td
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2,3] – 3 doses
- ☐ Varicella[1,2,4] - 2 doses or documentation of previous chicken pox illness
- ☐ Meningococcal – 1 dose

9th GRADE

- ☐ DTP/DTaP/DT/Td[1] – 3 doses (including one dose on or after 4th birthday) and one dose Tdap required 10 years after last dose DTP/DTaP/DT/Td
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2,3] – 3 doses
- ☐ Varicella[1,2,4] - 2 dosse or documentation of previous chicken pox illness (two doses Varicella required if first dose received at age 13 or older)
- ☐ Meningococcal – 1 dose

10th Grade

- ☐ DTP/DTaP/DT/Td[1] – 3 doses (including one dose on or after 4th birthday) and one dose Tdap required 10 years after last dose DTP/DTaP/DT/Td
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2,3] – 3 doses
- ☐ Varicella[1,2,4] - 2 doses or documentation of previous chicken pox illness (two doses Varicella required if first dose received at age 13 or older)
- ☐ Meningococcal – 1 dose

11th Grade

[1]**Receipt of the dose up to and including <u>4 days before the birthday</u> will satisfy the school entry immunization requirements.** DTP and Polio immunization for student in grades K-12 received prior to April 1, 2004 that were received within the calendar month of the 4th birthday will satisfy this requirement.
[2]Serologic confirmation of immunity to measles, mumps, rubella, hepatitis B or varicella or serologic evidence of infection is acceptable in lieu of vaccine.
[3] Comvax or Pentavenlente – only 3 doses required if the 3rd dose is on or after the first birthday, all others require 4 doses.
[4]Serologic proof of immunity or documentation of previous illness may substitute for vaccination. Previous Illness may be documented with a written statement from a physician, school nurse, or the child's parent or guardian containing wording such as "This is to verify that (name of student) had Varicella disease (chickenpox) on or about (date) and does not need varicella vaccine."
TB Skin test required for those students determined to be at risk for TB according to Texas Department of State Health Services guidelines.

- Individuals with positive skin test results only and no symptoms of active TB must show proof of either a negative chest x-ray with evidence of on going or completed preventive therapy as indicated or proof of an appointment for an x-ray. If a student fails to provide documentation as indicated or fails to keep the appointment for the chest x-ray, he/she will be excluded from school until the requirement is met.
- Parents are encouraged to consult their physician for recommendations for skin testing as part of their child's annual physical exam.

The following may not be required for school attendance in grades K-12, but are **<u>strongly</u>** recommended:
Influenza.

MINIMUM VACCINE REQUIREMENTS FOR ALDINE STUDENTS
2012-2013 School Year

- ☐ DTP/DTaP/DT/Td[1] – 3 doses (including one dose on or after 4th birthday) and one dose Tdap required 10 years after last dose DTP/DTaP/DT/Td
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1,2] (measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2,3] – 3 doses
- ☐ Varicella[1,2,4] -1 dose or documentation of previous chicken pox illness (two doses Varicella required if first dose received at age 13 or older)

12th Grade

- ☐ DTP/DTaP/DT/Td[1] – 3 doses (including one dose on or after 4th birthday) and one dose Tdap required 10 years after last dose DTP/DTaP/DT/Td
- ☐ Polio[1] – 3 doses (including one dose on or after 4th birthday)
- ☐ MMR[1,2](measles, mumps and rubella) – 2 doses on or after 1st birthday and at least 28 days apart (or 1 dose MMR plus 1 dose measles)
- ☐ Hepatitis B [2,3] – 3 doses
- ☐ Varicella[1,2,4] -1 dose or documentation of previous chicken pox illness (two doses Varicella required if first dose received at age 13 or older)

[1]**Receipt of the dose up to and including <u>4 days before the birthday</u> will satisfy the school entry immunization requirements.** DTP and Polio immunization for student in grades K-12 received prior to April 1, 2004 that were received within the calendar month of the 4th birthday will satisfy this requirement.
[2]Serologic confirmation of immunity to measles, mumps, rubella, hepatitis B or varicella or serologic evidence of infection is acceptable in lieu of vaccine.
[3] Comvax or Pentavenlente – only 3 doses required if the 3rd dose is on or after the first birthday, all others require 4 doses.
[4]Serologic proof of immunity or documentation of previous illness may substitute for vaccination. Previous Illness may be documented with a written statement from a physician, school nurse, or the child's parent or guardian containing wording such as "This is to verify that (name of student) had Varicella disease (chickenpox) on or about (date) and does not need varicella vaccine."
TB Skin test required for those students determined to be at risk for TB according to Texas Department of State Health Services guidelines.

- Individuals with positive skin test results only and no symptoms of active TB must show proof of either a negative chest x-ray with evidence of on going or completed preventive therapy as indicated or proof of an appointment for an x-ray. If a student fails to provide documentation as indicated or fails to keep the appointment for the chest x-ray, he/she will be excluded from school until the requirement is met.
- Parents are encouraged to consult their physician for recommendations for skin testing as part of their child's annual physical exam.

The following may not be required for school attendance in grades K-12, but are **<u>strongly</u>** recommended:
Influenza.